


# INDIANA. N & W 2 P. M.



Township N° VIII North Range N° II West of the 2<sup>nd</sup> Meridian. Surveyed by Arthur Henric 1815.

Description of the Soil on the interior Sectional lines.

Total 22,433.91

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
33.36	Land rich & rolling - Timber Poplar, Oak, Walnut & Sugar	28.3	Land rich & rolling - Timber Poplar, Oak, Walnut, & Sugar	18.9	Land rich & rolling - Timber Poplar, Oak, Walnut & Sugar
25.30	ditto	33.34	ditto	4.3	ditto
25.26	ditto	27.34	ditto	31.32	ditto
24.25	ditto	37.25	ditto	29.32	ditto
23.24	ditto	11.37	ditto	29.30	ditto
13.24	ditto	21.22	ditto	20.29	ditto
12.14	ditto	15.22	ditto	19.26	ditto
12.13	ditto	15.15	ditto	17.20	ditto
11.12	ditto	10.13	ditto	17.18	ditto
1.12	ditto	9.10	ditto	8.17	ditto
1.2	ditto	3.10	ditto	7.3	ditto
34.35	ditto	3.4	ditto	5.8	ditto
25.35	ditto	32.33	ditto	5.6	ditto
25.27	ditto	28.33	ditto	6.7	ditto
25.25	ditto	28.29	ditto	7.18	ditto
22.23	ditto	21.28	ditto	18.19	ditto
14.25	ditto	20.24	ditto	17.30	ditto
14.15	ditto	16.24	ditto	20.31	ditto
11.14	ditto	16.17	ditto		
10.11	ditto	9.16	ditto		
2.11	ditto	8.9	ditto		



141 Township N. 3 North, Range N. 2 West of 2nd Meridian.

Interior Section corners described

Interior Quarter Section corners continued

Posts bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil
A Sugar	12	S 46 W	17	
do	13	S 77 E	9	
B Hickory	3	S 8 W	14	
do	3	N 50 W	8	
C Beech	8	S 64 E	3	
do	12	S 52 W	23	
D Gum	10	S 7 W	14	
do	3	S 64 E	9	
E Hickory	8	corner		
F Gum	9	N 46 W	12	
do	6	N 6 W	14	
G Beech	13	N 26 E	18	
do	15	S 46 W	32	
H Poplar	40	N 31 E		
I Ash	6	N 70 W	11	
do	5	S 66 E	18	
J Sugar	13	S 66 E	4	
do	6	N 16 W	24	
K Gum	15	S 78 W	14	
L Sugar	13	N 55 E	11	
do	14	S 43 W	24	
M Beech	13	S 63 W	26	
N Dogwood	4	N 60 E	10	
do	18	S 15 W	37	
O Beech	13	S 60 E	17	
do	15	N 40 W	13	
P Sugar	12	N 73 W	12	
do	30	S 40 E	23	
Q Gum	18	S 63 E	16	
R Sugar	12	N 40 W	16	
S Beech	5	S 22 E	10	
do	12	N 35 W	13	
T Beech	15	S 18 E	13	
do	16	S 83 W	12	
U Sugar	12	South	17	
V Mulberry	8	N 54 W	14	
W Hickory	20	S 63 E	24	
do	15	N 87 W	23	
X Hickory	13	S 74 E	16	
do	14	N 14 W	20	
Y Hickory	13	S 54 W	20	
do	15	N 79 E	13	
Z Gum	12	S 37 E	18	
AA Hickory	16	N 53 W	19	
AB Dogwood	6	N 34 E	30	
AC Sugar	12	N 68 W	24	
AD do	16	N 47 E	23	
AE Beech	15	S 39 W	23	
AF Walnut	8	N 53 E	20	
AG Sugar	14	S 76 W	13	
AH Dogwood	6	S 8 E	17	
AI Maple	18	N 29 E	31	
AV Beech	12	N 63 E	11	
AW do	15	S 66 E	20	
AX Beech	8	N 50 W	5	
AY do	5	N 10 E	7	
W Beech	15	N 53 W	13	
do	4	S 35 E	27	
X Beech	5	N 20 E	5	
do	12	S 63 E	19	
Y Sugar	4	N 54 W	13	
do	15	S 37 W	24	

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
25.26.27.28	Sugar	10	S 80 E	20
29.30.31.32	Beech	20	S 76 W	17
33.34.35.36	do	12	N 19 W	16
37.38.39.40	Beech	13	S 70 E	17
41.42.43.44	Poplar	40	N 4 W	11
45.46.47.48	Sugar	15	S 44 E	24
49.50.51.52	Beech	30	S 10 W	13
53.54.55.56	Dogwood	8	N 15 E	19
57.58.59.60	Hickory	8	N 12 E	9
61.62.63.64	do	70	S 36 W	13
65.66.67.68	Sugar	13	N 62 E	—
69.70.71.72	Dogwood	3	S 34 E	7
73.74.75.76	do	6	S 31 E	27
77.78.79.80	Gum	6	N 20 W	21
81.82.83.84	Walnut	10	S 61 E	22
85.86.87.88	do	10	S 25 W	5
89.90.91.92	Sugar	10	N 27 W	23
93.94.95.96	do	12	N 46 E	29
97.98.99.100	Sassafras	6	S 16 W	6
101.102.103.104	Dogwood	5	N 36 W	11
105.106.107.108	Gum	6	S 17 W	18
109.110.111.112	Poplar	40	S 45 W	20
113.114.115.116	Beech	4	S 71 E	13
117.118.119.120	Poplar	20	S 59 W	20
121.122.123.124	Sugar	3	N 29 E	7
125.126.127.128	do	5	S 55 W	9
129.130.131.132	Hickory	5	N 50 W	8
133.134.135.136	do	20	S 40 W	32
137.138.139.140	Beech	5	N 43 W	29
141.142.143.144	Ash	26	S 53 E	27
145.146.147.148	Sugar	5	N 6 W	8
149.150.151.152	do	10	S 78 W	18
153.154.155.156	Poplar	4	N 45 W	11
157.158.159.160	do	11	S 53 E	20
161.162.163.164	Dogwood	11	S 78 E	5
165.166.167.168	Sugar	8	S 27 W	13
169.170.171.172	Beech	8	N 2 W	18
173.174.175.176	do	8	N 63 E	14
177.178.179.180	Sugar	6	N 65 E	10
181.182.183.184	Hickory	12	S 63 W	22
185.186.187.188	Poplar	40	N 23 W	25
189.190.191.192	Beech	10	S 67 E	24
193.194.195.196	Gum	20	S 50 E	14
197.198.199.200	do	15	N 58 W	17
201.202.203.204	Maple	15	S 25 W	12
205.206.207.208	do	3	N 27 E	17
209.210.211.212	Hickory	24	S 16 W	8
213.214.215.216	do	10	N 19 E	13
217.218.219.220	Beech	8	N 43 E	12
221.222.223.224	do	8	S 24 E	10


Interior Quarter Section corners described

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
1 to 2	R. Oak	10	N 74 E	17
2 to 3	N. Oak	20	S 56 W	16
3 to 4	Sugar	10	N 53 E	7
4 to 5	do	10	S 52 W	32
5 to 6	Dogwood	4	S 35 W	15
6 to 7	Beech	4	S 55 W	11
7 to 8	Dogwood	3	S 45 E	13
8 to 9	Gum	10	N 31 W	24
9 to 10	Sugar	3	East	23
10 to 11	Dogwood	6	S 55 W	11
11 to 12	Hickory	12	S 76 E	29
12 to 13	do	12	N 60 E	13
13 to 14	Gum	18	S 56 W	24
14 to 15	N. Oak	6	S 32 E	5
15 to 16	Maple	10	S 59 W	23
16 to 17	Sugar	13	N 20 E	10
17 to 18	Gum	5	S 30 E	13
18 to 19	Beech	5	N 34 W	20
19 to 20	do	15	S 20 E	28
20 to 21	N. Oak	—	S 45 W	13
21 to 22	do	10	N 25 W	11
22 to 23	N. Oak	32	N 72 W	15
23 to 24	N. Oak	12	N 55 E	14
24 to 25	Gum	20	S 60 E	3
25 to 26	Dogwood	5	N 53 W	25
26 to 27	Beech	10	S 31 E	14
27 to 28	N. Oak	12	N 66 E	16
28 to 29	Sugar	5	S 27 E	20
29 to 30	do	20	S 50 W	16
30 to 31	N. Oak	24	S 20 E	1
31 to 32	Walnut	3	N 58 W	12
32 to 33	do	18	S 33 E	4
33 to 34	do	3	S 54 W	33
34 to 35	Ash	4	S 70 W	36

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
1 to 2	Hickory	8	S 10 E	14
2 to 3	Dogwood	3	N 48 W	8
3 to 4	N. Oak	10	S 10 W	9
4 to 5	Hickory	10	N 26 W	5
5 to 6	Hickory	40	S 31 W	5
6 to 7	do	10	S 58 E	18
7 to 8	N. Oak	15	S 25 W	13
8 to 9	do	5	S 32 E	12
9 to 10	N. Walnut	15	N 36 E	18
10 to 11	Hickory	15	N 16 E	22
11 to 12	Beech	20	S 63 E	16
12 to 13	do	10	N 34 W	14
13 to 14	Beech	12	S 95 W	10
14 to 15	Hickory	14	N 66 E	23
15 to 16	Beech	14	S 51 E	13
16 to 17	Hickory	6	S 40 W	10
17 to 18	Sugar	6	N 78 E	20
18 to 19	Hickory	18	S 1 E	21
19 to 20	do	12	N 84 E	27
20 to 21	Hickory	10	N 66 W	17
21 to 22	Ash	20	East	5
22 to 23	Beech	24	N 19 E	12
23 to 24	Beech	12	N 60 E	26
24 to 25	do	8	S 30 E	7
25 to 26	do	12	S 44 W	24
26 to 27	Hickory	12	N 40 E	23
27 to 28	Beech	13	S 72 W	18
28 to 29	do	8	S 74 E	7
29 to 30	Beech	7	S 65 W	20
30 to 31	Red bark	5	N 87 E	11
31 to 32	Sugar	12	N 87 W	20
32 to 33	Gum	6	S 59 E	18
33 to 34	Beech	12	S 72 W	14
34 to 35	do	4	S 57 E	15
35 to 36	Dogwood	8	N 41 E	3
36 to 37	Dogwood	8	S 49 W	13
37 to 38	N. Oak	10	N 44 W	13
38 to 39	Beech	6	S 8 E	27
39 to 40	Hickory	10	S 13 E	11
40 to 41	Dogwood	3	N 14 W	3
41 to 42	Gum	6	S 29 W	6
42 to 43	Poplar	10	S 54 E	5
43 to 44	Beech	12	S 11 W	29
44 to 45	Dogwood	6	S 24 E	9
45 to 46	Sugar	10	N 79 W	22
46 to 47	Dogwood	6	N 26 E	11
47 to 48	Beech	13	N 71 W	6
48 to 49	do	4	S 17 E	16
49 to 50	Sassafras	6	S 11 E	6
50 to 51	Poplar	12	N 72 W	10
51 to 52	Gum	6	S 54 E	32
52 to 53	N. Oak	15	S 88 W	10
53 to 54	Poplar	20	S 55 W	17
54 to 55	Beech	36	N 70 E	4
55 to 56	corner	—	—	—
56 to 57	Maple	13	S 20 E	4
57 to 58	do	15	N 26 W	21
58 to 59	Sugar	10	S 30 W	5
59 to 60	Hickory	12	N 22 E	14
60 to 61	do	7	N 53 E	14
61 to 62	Sugar	10	S 8 E	19
62 to 63	N. Walnut	7	N 11 E	4
63 to 64	Sugar	18	S 20 W	36
64 to 65	Dogwood	6	N 37 W	4
65 to 66	Hickory	10	N 27 E	16
66 to 67	N. Oak	7	S 51 E	8
67 to 68	do	5	S 3 E	15
68 to 69	Beech	20	S 62 W	32
69 to 70	Gum	4	N 10 E	20
70 to 71	Beech	—	N 75 E	14
71 to 72	Poplar	12	N 27 E	10
72 to 73	Hickory	10	S 37 W	9
73 to 74	Gum	18	N 17 E	10
74 to 75	Sugar	10	S 73 W	10
75 to 76	Dogwood	4	N 14 W	15
76 to 77	Beech	3	S 35 W	9
77 to 78	N. Walnut	8	N 43 E	21
78 to 79	Beech	24	N 15 E	13
79 to 80	Sugar	12	S 70 W	23
80 to 81	do	12	N 30 E	10
81 to 82	Beech	8	N 58 E	35
82 to 83	do	10	N 81 E	4
83 to 84	do	9	S 40 W	12



INDIANA.  
N & W 2 P. M.




Down N. 8. North Range N. 2. West of 2<sup>nd</sup> Meridian. 22425.57 IND 64

Pursuant to a Contract with and Instructions from McCamfield Surveyor General of the United States bearing date the 17<sup>th</sup> day of June 1812 I have Admeasured laid out and Surveyed the Above described Township and do hereby Certify that it had such Marks and Bounds both Natural and Artificial as are represented on said plat and Described in the field Notes made thereof and returned with the plat into the Surveyor General's Office.

Witness this 23<sup>rd</sup> day of October 1815. Arthur Horner, Surveyor



*Township N.<sup>o</sup> 8 North, Range N.<sup>o</sup> 2 West, 2<sup>nd</sup> Mer.*



Surveyed in 1815 by Arthur Henric Deputy Surveyor.

Scale, 40 chains to an Inch.

I certify that the above is a true copy of the  
recorded plat in this Office.

Surveyor General's Office.  
Cincinnati, Sept 9 1837

Robert Lytle  
Sur. Gen.



